



Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 04/09/2018

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Non-Skid Deck Cleaner with PTEF

Product Code: 859XX

Intended Use of the Product

Cleaner

Name, Address, and Telephone of the Responsible Party

Company

Starbrite® Inc.

4041 SW 47th Avenue

Fort Lauderdale, FL 33314

(954)587-6280

Emergency Telephone Number

Emergency Number : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-US/CA Classification

Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA) :



GH505

Signal Word (GHS-US/CA) : Danger

Hazard Statements (GHS-US/CA) : H318 - Causes serious eye damage.

Precautionary Statements (GHS-US/CA) : P280 - Wear protective gloves, protective clothing, and eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Aquatic Acute 3 H402

H402 - Harmful to aquatic life.

P273 - Avoid release to the environment.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions. EDTA may enhance the rate of skin absorption of skin-permeable substances.

Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|------------------------------|----------------------|---------|---|
| Alcohols, C9-11, ethoxylated | (CAS-No.) 68439-46-3 | 0.1 - 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | | |
|--------------------------------------|----------------------|----------------|---|
| | | | Aquatic Acute 2, H401 |
| Tetrasodium EDTA | (CAS-No.) 64-02-8 | 1.85 - 3.485 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 2, H401 Comb. Dust |
| Dipropylene glycol monomethyl ether | (CAS-No.) 34590-94-8 | 0.5 - 2.5 | Flam. Liq. 4, H227 |
| Isopropyl alcohol | (CAS-No.) 67-63-0 | 0.5 - 2 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 |
| Nitrilotriacetic acid trisodium salt | (CAS-No.) 5064-31-3 | 0.025 - 0.17 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Carc. 2, H351 Aquatic Acute 3, H402 |
| Sodium hydroxide | (CAS-No.) 1310-73-2 | 0.025 - 0.1615 | Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402 |

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion may cause adverse effects. May cause irritation of the gastrointestinal tract.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Hydrocarbons. Nitrogen oxides. Metal oxides. Sodium oxides. Hydrogen chloride. Irritating fumes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: May be corrosive to metals upon prolonged contact.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, and spray. Do not get in eyes, on skin, or on clothing. Use appropriate personal protective equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Containers which are opened should be properly resealed and kept upright to prevent leakage. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Keep only in original container.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reactive metals.

Specific End Use(s)

Cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Sodium hydroxide (1310-73-2)

| | | |
|-----------|------------------------------------|---------------------|
| Mexico | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| USA ACGIH | ACGIH Ceiling (mg/m ³) | 2 mg/m ³ |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|---|--|--|
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 2 mg/m ³ |
| USA NIOSH | NIOSH REL (ceiling) (mg/m ³) | 2 mg/m ³ |
| USA IDLH | US IDLH (mg/m ³) | 10 mg/m ³ |
| Alberta | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| British Columbia | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Manitoba | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| New Brunswick | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Newfoundland & Labrador | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Nova Scotia | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Nunavut | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Northwest Territories | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Ontario | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Prince Edward Island | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Québec | PLAFOND (mg/m ³) | 2 mg/m ³ |
| Saskatchewan | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Yukon | OEL Ceiling (mg/m ³) | 2 mg/m ³ |
| Dipropylene glycol monomethyl ether (34590-94-8) | | |
| Mexico | OEL TWA (mg/m ³) | 60 mg/m ³ |
| Mexico | OEL TWA (ppm) | 100 ppm |
| Mexico | OEL STEL (mg/m ³) | 900 mg/m ³ |
| Mexico | OEL STEL (ppm) | 150 ppm |
| USA ACGIH | ACGIH TWA (ppm) | 100 ppm |
| USA ACGIH | ACGIH STEL (ppm) | 150 ppm |
| USA ACGIH | ACGIH chemical category | Skin - potential significant contribution to overall exposure by the cutaneous route |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 600 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 100 ppm |
| USA OSHA | Limit value category (OSHA) | prevent or reduce skin absorption |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 600 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 100 ppm |
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 900 mg/m ³ |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 150 ppm |
| USA IDLH | US IDLH (ppm) | 600 ppm |
| Alberta | OEL STEL (mg/m ³) | 909 mg/m ³ |
| Alberta | OEL STEL (ppm) | 150 ppm |
| Alberta | OEL TWA (mg/m ³) | 606 mg/m ³ |
| Alberta | OEL TWA (ppm) | 100 ppm |
| British Columbia | OEL STEL (ppm) | 150 ppm |
| British Columbia | OEL TWA (ppm) | 100 ppm |
| Manitoba | OEL STEL (ppm) | 150 ppm |
| Manitoba | OEL TWA (ppm) | 100 ppm |
| New Brunswick | OEL STEL (mg/m ³) | 909 mg/m ³ |
| New Brunswick | OEL STEL (ppm) | 150 ppm |
| New Brunswick | OEL TWA (mg/m ³) | 606 mg/m ³ |
| New Brunswick | OEL TWA (ppm) | 100 ppm |
| Newfoundland & Labrador | OEL STEL (ppm) | 150 ppm |
| Newfoundland & Labrador | OEL TWA (ppm) | 100 ppm |
| Nova Scotia | OEL STEL (ppm) | 150 ppm |
| Nova Scotia | OEL TWA (ppm) | 100 ppm |
| Nunavut | OEL STEL (ppm) | 150 ppm |
| Nunavut | OEL TWA (ppm) | 100 ppm |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|------------------------------------|---------------------------------------|---|
| Northwest Territories | OEL STEL (ppm) | 150 ppm |
| Northwest Territories | OEL TWA (ppm) | 100 ppm |
| Ontario | OEL STEL (ppm) | 150 ppm |
| Ontario | OEL TWA (ppm) | 100 ppm |
| Prince Edward Island | OEL STEL (ppm) | 150 ppm |
| Prince Edward Island | OEL TWA (ppm) | 100 ppm |
| Québec | VECD (mg/m ³) | 909 mg/m ³ |
| Québec | VECD (ppm) | 150 ppm |
| Québec | VEMP (mg/m ³) | 606 mg/m ³ |
| Québec | VEMP (ppm) | 100 ppm |
| Saskatchewan | OEL STEL (ppm) | 150 ppm |
| Saskatchewan | OEL TWA (ppm) | 100 ppm |
| Isopropyl alcohol (67-63-0) | | |
| Mexico | OEL TWA (mg/m ³) | 980 mg/m ³ |
| Mexico | OEL TWA (ppm) | 400 ppm |
| Mexico | OEL STEL (mg/m ³) | 1225 mg/m ³ |
| Mexico | OEL STEL (ppm) | 500 ppm |
| USA ACGIH | ACGIH TWA (ppm) | 200 ppm |
| USA ACGIH | ACGIH STEL (ppm) | 400 ppm |
| USA ACGIH | ACGIH chemical category | Not Classifiable as a Human Carcinogen |
| USA ACGIH | Biological Exposure Indices (BEI) | 40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific) |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 980 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 400 ppm |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 980 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 400 ppm |
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 1225 mg/m ³ |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 500 ppm |
| USA IDLH | US IDLH (ppm) | 2000 ppm (10% LEL) |
| Alberta | OEL STEL (mg/m ³) | 984 mg/m ³ |
| Alberta | OEL STEL (ppm) | 400 ppm |
| Alberta | OEL TWA (mg/m ³) | 492 mg/m ³ |
| Alberta | OEL TWA (ppm) | 200 ppm |
| British Columbia | OEL STEL (ppm) | 400 ppm |
| British Columbia | OEL TWA (ppm) | 200 ppm |
| Manitoba | OEL STEL (ppm) | 400 ppm |
| Manitoba | OEL TWA (ppm) | 200 ppm |
| New Brunswick | OEL STEL (mg/m ³) | 1230 mg/m ³ |
| New Brunswick | OEL STEL (ppm) | 500 ppm |
| New Brunswick | OEL TWA (mg/m ³) | 983 mg/m ³ |
| New Brunswick | OEL TWA (ppm) | 400 ppm |
| Newfoundland & Labrador | OEL STEL (ppm) | 400 ppm |
| Newfoundland & Labrador | OEL TWA (ppm) | 200 ppm |
| Nova Scotia | OEL STEL (ppm) | 400 ppm |
| Nova Scotia | OEL TWA (ppm) | 200 ppm |
| Nunavut | OEL STEL (ppm) | 400 ppm |
| Nunavut | OEL TWA (ppm) | 200 ppm |
| Northwest Territories | OEL STEL (ppm) | 400 ppm |
| Northwest Territories | OEL TWA (ppm) | 200 ppm |
| Ontario | OEL STEL (ppm) | 400 ppm |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|----------------------|-------------------------------|------------------------|
| Ontario | OEL TWA (ppm) | 200 ppm |
| Prince Edward Island | OEL STEL (ppm) | 400 ppm |
| Prince Edward Island | OEL TWA (ppm) | 200 ppm |
| Québec | VECD (mg/m ³) | 1230 mg/m ³ |
| Québec | VECD (ppm) | 500 ppm |
| Québec | VEMP (mg/m ³) | 985 mg/m ³ |
| Québec | VEMP (ppm) | 400 ppm |
| Saskatchewan | OEL STEL (ppm) | 400 ppm |
| Saskatchewan | OEL TWA (ppm) | 200 ppm |
| Yukon | OEL STEL (mg/m ³) | 1225 mg/m ³ |
| Yukon | OEL STEL (ppm) | 500 ppm |
| Yukon | OEL TWA (mg/m ³) | 980 mg/m ³ |
| Yukon | OEL TWA (ppm) | 400 ppm |

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental Exposure Controls: Avoid release to the environment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | | |
|---------------------------------------|---|--------------------|
| Physical State | : | Liquid |
| Appearance | : | Green |
| Odor | : | Characteristic |
| Odor Threshold | : | Not available |
| pH | : | 12 |
| Evaporation Rate | : | Not available |
| Melting Point | : | Not available |
| Freezing Point | : | Not available |
| Boiling Point | : | 100 °C (212 °F) |
| Flash Point | : | > 60 °C (> 140 °F) |
| Auto-ignition Temperature | : | Not available |
| Decomposition Temperature | : | Not available |
| Flammability (solid, gas) | : | Not applicable |
| Lower Flammable Limit | : | Not available |
| Upper Flammable Limit | : | Not available |
| Vapor Pressure | : | Not available |
| Relative Vapor Density at 20°C | : | Not available |
| Relative Density | : | Not available |
| Specific Gravity | : | 1.02 |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---|--------------------|
| Solubility | : Soluble in water |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reactive metals.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified.

pH: 12

Eye Damage/Irritation: Causes serious eye damage.

pH: 12

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. May cause irritation of the gastrointestinal tract.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| | |
|---|--|
| Tetrasodium EDTA (64-02-8) | |
| LD50 Oral Rat | 1780 mg/kg |
| Sodium hydroxide (1310-73-2) | |
| LD50 Oral Rat | |
| Nitrilotriacetic acid trisodium salt (5064-31-3) | |
| LD50 Oral Rat | 1740 mg/kg |
| LD50 Dermal Rabbit | > 2000 mg/kg |
| LC50 Inhalation Rat | > 5 mg/l/4h |
| Alcohols, C9-11, ethoxylated (68439-46-3) | |
| LD50 Oral Rat | 1400 mg/kg |
| LD50 Dermal Rat | > 2000 mg/kg |
| Dipropylene glycol monomethyl ether (34590-94-8) | |
| LD50 Oral Rat | > 5000 mg/kg (Species: Sprague-Dawley) |
| LD50 Dermal Rabbit | 9500 mg/kg |
| Isopropyl alcohol (67-63-0) | |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---|---|
| LD50 Dermal Rabbit | 4059 mg/kg |
| LC50 Inhalation Rat | 72600 mg/m ³ (Exposure time: 4 h) |
| Nitrilotriacetic acid trisodium salt (5064-31-3) | |
| IARC Group | 2B |
| OSHA Hazard Communication Carcinogen List | In OSHA Hazard Communication Carcinogen list. |
| Isopropyl alcohol (67-63-0) | |
| IARC Group | 3 |

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life.

| | |
|---|---|
| Tetrasodium EDTA (64-02-8) | |
| LC50 Fish 1 | 41 mg/l (Exposure time: 96h - Species: Lepomis macrochirus) |
| EC50 Daphnia 1 | 625 mg/l (Exposure time: 24 h - Species: Daphnia magna) |
| LC50 Fish 2 | 59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| ErC50 (algae) | 3 mg/l (Exposure time: 96 h - Species: Green Algae) |
| ErC50 (other aquatic plants) | 1.01 mg/l (Exposure time: 72 Hr - Species: Desmodesmus subspicatus) |
| Sodium hydroxide (1310-73-2) | |
| LC50 Fish 1 | 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 Daphnia 1 | 40 mg/l |
| Nitrilotriacetic acid trisodium salt (5064-31-3) | |
| LC50 Fish 1 | 93 - 170 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 Daphnia 1 | 560 - 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC50 Fish 2 | 175 - 225 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| NOEC Chronic Crustacea | 9.3 mg/l |
| Alcohols, C9-11, ethoxylated (68439-46-3) | |
| LC50 Fish 1 | 6 - 12 mg/l (Exposure time : 96 h - Species: Pimephales promelas) |
| EC50 Daphnia 1 | 2.217 - 3.523 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| Dipropylene glycol monomethyl ether (34590-94-8) | |
| LC50 Fish 1 | > 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 Daphnia 1 | 1919 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| Isopropyl alcohol (67-63-0) | |
| LC50 Fish 1 | 9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 Daphnia 1 | 13299 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 Other Aquatic Organisms 1 | 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus) |
| LC50 Fish 2 | 11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 Other Aquatic Organisms 2 | 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) |
| Persistence and Degradability | |
| Non-Skid Deck Cleaner with PTEF | |
| Persistence and Degradability | Not established. |
| Dipropylene glycol monomethyl ether (34590-94-8) | |
| Persistence and Degradability | Readily biodegradable. |
| Bioaccumulative Potential | |
| Non-Skid Deck Cleaner with PTEF | |
| Bioaccumulative Potential | Not established. |
| Tetrasodium EDTA (64-02-8) | |
| Log Pow | 5.01 (calculated) |
| Dipropylene glycol monomethyl ether (34590-94-8) | |
| Log Pow | -0.064 (at 20 °C) |
| Bioaccumulative Potential | Not expected to bioaccumulate. |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Isopropyl alcohol (67-63-0)

| | |
|---------|-----------------|
| Log Pow | 0.05 (at 25 °C) |
|---------|-----------------|

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT Not regulated for transport

In Accordance with IMDG Not regulated for transport

In Accordance with IATA Not regulated for transport

In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Non-Skid Deck Cleaner with PTEF

| | |
|-------------------------------------|--|
| SARA Section 311/312 Hazard Classes | Health hazard - Serious eye damage or eye irritation |
|-------------------------------------|--|

Tetrasodium EDTA (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CERCLA RQ

1000 lb

Nitrilotriacetic acid trisodium salt (5064-31-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Isopropyl alcohol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting

1 % (only if manufactured by the strong acid process, no supplier notification)

US State Regulations

Tetrasodium EDTA (64-02-8)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Sodium hydroxide (1310-73-2)

U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute

U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

U.S. - Florida - Essential Chemicals List

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

U.S. - Idaho - Occupational Exposure Limits - TWAs

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2

U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2

RTK - U.S. - Massachusetts - Right To Know List

U.S. - Massachusetts - Toxics Use Reduction Act

U.S. - Michigan - Occupational Exposure Limits - Ceilings

U.S. - Michigan - Polluting Materials List

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Hazardous Substance List

U.S. - Minnesota - Permissible Exposure Limits - Ceilings

U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - New Jersey - Special Health Hazards Substances List

U.S. - New York - Occupational Exposure Limits - Ceilings

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour

U.S. - Oregon - Permissible Exposure Limits - TWAs

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour

U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual

U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations

U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories

U.S. - Tennessee - Occupational Exposure Limits - Ceilings

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Vermont - Permissible Exposure Limits - Ceilings

U.S. - Washington - Permissible Exposure Limits - Ceilings

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater

U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

Nitrilotriacetic acid trisodium salt (5064-31-3)

U.S. - Illinois - Toxic Air Contaminant Carcinogens

U.S. - Illinois - Toxic Air Contaminants

RTK - U.S. - Massachusetts - Right To Know List

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Alcohols, C9-11, ethoxylated (68439-46-3)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Dipropylene glycol monomethyl ether (34590-94-8)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

U.S. - Idaho - Occupational Exposure Limits - TWAs
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Michigan - Occupational Exposure Limits - Skin Designations
U.S. - Michigan - Occupational Exposure Limits - STELs
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - Skin Designations
U.S. - Minnesota - Permissible Exposure Limits - STELs
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New York - Occupational Exposure Limits - Skin Designations
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S. - Oregon - Permissible Exposure Limits - Skin Designations
U.S. - Oregon - Permissible Exposure Limits - TWAs
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Tennessee - Occupational Exposure Limits - Skin Designations
U.S. - Tennessee - Occupational Exposure Limits - STELs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - Skin Designations
U.S. - Vermont - Permissible Exposure Limits - STELs
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - Skin Designations
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs

Isopropyl alcohol (67-63-0)

U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute
U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Chronic
U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)
U.S. - Connecticut - Volatile Substances
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)
U.S. - Idaho - Occupational Exposure Limits - TWAs
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Massachusetts - Toxics Use Reduction Act
U.S. - Michigan - Occupational Exposure Limits - STELs
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - STELs
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
U.S. - New Jersey - Environmental Hazardous Substances List
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New Jersey - Special Health Hazards Substances List
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour

U.S. - Oregon - Permissible Exposure Limits - TWAs

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour

U.S. - Tennessee - Occupational Exposure Limits - STELs

U.S. - Tennessee - Occupational Exposure Limits - TWAs

U.S. - Texas - City of Austin - Aerosol Paint and Glue Restrictions

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Vermont - Permissible Exposure Limits - STELs

U.S. - Vermont - Permissible Exposure Limits - TWAs

U.S. - Washington - Permissible Exposure Limits - STELs

U.S. - Washington - Permissible Exposure Limits - TWAs

Canadian Regulations

Tetrasodium EDTA (64-02-8)

Listed on the Canadian DSL (Domestic Substances List)

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

Nitrilotriacetic acid trisodium salt (5064-31-3)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

Dipropylene glycol monomethyl ether (34590-94-8)

Listed on the Canadian DSL (Domestic Substances List)

Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest : 04/09/2018

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

| | |
|---------------------|--|
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 2 | Hazardous to the aquatic environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Carc. 2 | Carcinogenicity Category 2 |
| Comb. Dust | Combustible Dust |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Met. Corr. 1 | Corrosive to metals Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H225 | Highly flammable liquid and vapor |
| H227 | Combustible liquid |

Non-Skid Deck Cleaner with PTEF

Safety Data Sheet


According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|------|---|
| H290 | May be corrosive to metals |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |
| H351 | Suspected of causing cancer |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |

NFPA Health Hazard : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA Fire Hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even under fire conditions.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US, Mex)